

norament® 926 grano

Modern possibilities. Enduring style.







Proven performance refreshed with a contemporary palette

Create a foundation of enduring performance with norament 926 grano, the premium rubber flooring that elevates interiors with unparalleled durability and versatile design. This modern take on a timeless stone aesthetic combines supportive form with flexible function in a palette of over thirty colours – from cool, calming neutrals to bold, vibrant tones. Its dense surface structure delivers proven strength under pressure, standing up to even the toughest workplace conditions without sacrificing style.

Experience the secret of a perfect combination

Aesthetic – Timeless inspiration for today's architecture

The palette of norament 926 grano offers contemporary sophistication with enduring appeal. Explore a range of thirty-two colours that provide a harmonious balance of base shades and colour-accentuated granules.

Performance - Enduring strength for decades

Through a unique manufacturing process norament 926 grano reaches an almost indestructible form and thus provides an outstanding longevity of the floor. United in one product you find the robustness of a stone combined with the advantages of permanently elastic flooring. This leads to ergonomic and acoustic advantages such as high walking and standing comfort as well as a quiet environment in indoor spaces. The fact that no welding is required and the surface is uncoated reduces costs and contributes to easy maintenance, which provides value throughout its lifetime.

System solution – A holistic approach to support your vision

Experience the possibility of being able to cover a wide variety of functional areas with different requirements by means of one design. Choose stair treads and nosings or electrostatically dissipative options and see how cross-functional flooring benefits simplify decision-making without sacrificing style.



Enduring solutions for education spaces

Create durable learning environments for kindergartens, classrooms and university auditorium with norament 926 grano. The environmental compatibility contributes significantly to the well-being and the productivity of both students and teaching staff. Advanced sound absorbing properties, an optimal standing and walking comfort as well as slip resistance safety and an excellent indoor air quality ensure a positive learning ambience.





Complete performance for industrial function



© Dirk Wilhelmy




For hard-working spaces that support people and processes, norament 926 grano offers an all-around and comprehensive flooring solution for your facility. No matter whether high pressure-loads of heavy equipment in production areas, required GMP-compliance or essential electrostatically dissipative properties in electronic manufacturing halls, norament 926 grano will be tough enough to withstand the most diverse demands and requirements.


© www.jung.de

Ergonomic support for healthcare environments


A safe environment delivering slip resistance and ergonomic support are the most crucial requirements for a patient's recovery and outcome. From operating rooms to the intensive care units right up to recovery rooms – discover all the possibilities for healthcare with norament 926 grano. Its dense surface enables easy cleaning and provides hygienically perfect surfaces. Together with the fact that no welding is required, this creates a complete system that provides the ideal conditions for achieving maximum infection control.




A new palette for contemporary designs



Customize every interior with the accessories and solutions of norament 926 grano. Explore our system solutions, including the nora nTx system and electrostatic-dissipative (ED) options, plus wall bases, stairtreads and more.



Cubic structure (Anti-slip properity R10)



Cover picture: © nora

Specifications are subject to change without notice. Errors and omissions excepted. No liability is assumed for the correctness, completeness or accuracy of the information. The product illustrations in this document may differ from the original. This document does not constitute a contractual offer and serves only as non-binding information.

The nora brand and any other registered trademarks used in this document are registered to the company, the country or a company affiliated to nora systems GmbH. Any other brand names used herein are the trademarks of their respective owners.

Contact details, local offices, authorized distributors and further information can be found at www.nora.com.

Published by

nora systems GmbH Höhnerweg 2–4 69469 Weinheim | Germany www.nora.com